ELSEVIER

Toxicology 98 (1995) 233–234

TOXICOLOGY

Volume Contents

Volume 98 (1995)

Oxidant resistance of cadmium-adapted human lung fibroblasts (**Metallothionein appears to protect critical cellular targets from reactive oxygen species**)
B.A. Hart, R.M. Prabhu, J.D. Eneman, C.C. Durieux-Lu, A.M.L. Janssen, P.J.A. Borm (Burlington, VT; Maastricht, The Netherlands) 1–13

A modification of the local lymph node assay for contact allergenicity screening: measurement of interleukin-2 as an alternative to radioisotope-dependent proliferation assay (**The interleukin-2 assay is a convenient and dependable method for the screening of strong contact allergens**)
M. Hatao, T. Hariya, Y. Katsumura, S. Kato (Yokohama, Japan) 15–22

Effects of 2,4-dichlorophenoxyacetic acid on polyamine transport and metabolism in *Azospirillum brasilense* Cd. (**Alterations in polyamine metabolism by 2,4-D appear mainly to be due to diminished ornithine decarboxylase activity**)
G. Mori, A. Fabra, S. Castro, V. Rivarola, W. Giordano, H. Balegno (Córdoba, Argentina) 23–29

Evidence for energy-dependent transport of aluminum out of brain extracellular fluid (**Extracellular fluid unbound Al distribution between frontal cortex and blood was measured with microdialysis probes**)
D.D. Allen, C. Orvig, R.A. Yokel (Lexington, KY; Vancouver, Canada) 31–39

Experimental nephropathy by chronic administration of cocaine in rats (**Chronic cocaine toxicity produces lesions in glomeruli, tubuli and renal interstitium**)
R. Barroso-Moguel, M. Mendez-Armenta, J. Villeda-Hernandez (Mexico, Mexico) 41–46

Effect of heavy metal ions on the release of reactive oxygen intermediates by bovine alveolar macrophages (**Metals exert inhibitory as well as enhancing effects on the investigated phenomenon**)
T. Schlüter, I. Berg, M. Dörger, G. Gercken (Hamburg, Germany) 47–55

Comparative effects of 6-week nicotine treatment on blood pressure and components of the antioxidant system in male spontaneously hypertensive (SHR) and normotensive Wistar Kyoto (WKY) rats (**In hypertensive rats, nicotine seems to increase blood pressure through direct cardiovascular effects rather than through oxidative stress related mechanisms**)
L.M. Bui, C.L. Keen, M.A. Dubick (Davis, San Francisco, CA) 57–65

Effects of buthionine sulfoximine (BSO) on mercury distribution after Hg^0 exposure (**Pretreatment with BSO increased Mg concentrations in lung, liver and plasma and decreased them in and increased them in the kidney**)
C.-Y. Kim, C. Watanabe, H. Satoh (Sendai, Japan) 67–72

Pancreatic acinar cell neoplasia in male Wistar rats following 2 years of gabapentin exposure (**Tumor development occurred in a single sex and species of rodent only**)
R.E. Sigler, A.W. Gough, F.A. de la Iglesia (Ann Arbor, MI) 73–82

Cytotoxic effects of Aroclor 1254 on ultrastructure and biochemical parameters in cultured foetal rat hepatocytes (**The described system could possibly be useful in the prediction of cellular damage by PCBs**)
J.P. Thomé, L. Roelandt, G. Goffinet, N. Stouvenakers, P. Kremers (Liege, Sart Tilman, Belgium) 83–94

Effects of PCBs (Arocolor 1254) on cytochrome-P450 expression and monooxygenase activities in cultured foetal rat hepatocytes (**PCBs selectively induce cytochromes P-450**)
L. Roelandt, A. Todaro, J.P. Thomé, P. Kremers (Sart Tilman, Liege, Belgium) 95–103

Stimulatory effect of lead on the proliferation of cultured vascular smooth-muscle cells (**Within the endothelial cells, lead is thought to mimic calcium**)
Y. Fujiwara, T. Kaji, C. Yamamoto, M. Sakamoto, H. Kozuka (Kanazawa, Toyama, Japan) 105–110

0300-483X/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Immunotoxicologic studies with CI-959, a novel benzothiophene cell activation inhibitor (**The rodent immune system does not appear to be a sensitive or toxicologically important target for the drug**)
M.R. Bleavins, F.A. de la Iglesia, J.A. McCay, K.L. White, Jr., A.E. Munson (Ann Arbor, MI; Richmond, VA) 111–123

The cytoprotective roles of ascorbate and glutathione against nitrogen dioxide toxicity in human endothelial cells (**Both intracellular reductants co-operate in the antioxidative protection of the cells**)
B. Tu, A. Wallin, P. Moldéus, I. Cotgreave (Stockholm, Sweden) 125–136

The distribution of [^{125}I]ricin in mice following aerosol inhalation exposure (**Inhaled ricin remains sequestered in the lung and only very little is absorbed from the gastrointestinal tract**)
J.A. Doebler, N.D. Wiltshire, T.W. Mayer, J.E. Estep, R.B. Moeller, R.K. Traub, C.A. Broomfield, C.A. Calamaio, W.L. Thompson, M.L. Pitt (APG-EA, Ft. Detrick, MD) 137–149

Evaluation of the neurotoxicity of glycidamide, an epoxide metabolite of acrylamide: behavioral, neurochemical and morphological studies (**Results suggest that it is primarily acrylamide itself that is responsible for peripheral neurotoxicity**)
L.G. Costa, H. Deng, C.J. Calleman, E. Bergmark (Seattle, WA; Beijing, China; Stockholm, Sweden) 151–161

Morphologic and morphometric evaluation of the effect of ICRF-187 on bleomycin-induced pulmonary toxicity (**It is suggested that iron chelation mitigates bleomycin toxicity**)
E.H. Herman, B.B. Hasinoff, J. Zhang, L.G. Raley, T.-M. Zhang, Y. Fukuda, V.J. Ferrans (Laurel, Bethesda, MD; Winnipeg, Canada; Tokyo, Japan) 163–175

Restraint-induced stress in pregnant mice — Degree of immobilization affects maternal indices of stress and developmental outcome in offspring (**More severe restraint produces greater incidence of fetal abnormalities**)
D.B. Miller, N. Chernoff (Research Triangle Park, NC) 177–186

Induction of a hepatic toxic syndrome in the Dutch-belted rabbit by a quinoxalinone anxiolytic (**Possibly an animal model for Reye's syndrome**)
R.G. Ulrich, J.A. Bacon, D.G. Branstetter, C.T. Cramer, G.M. Funk, C.E. Hunt, D.K. Petrella, E.L. Sun (Kalamazoo, MI) 187–198

In vitro inhibition of gap junctional intercellular communication by chemical carcinogens (**Direct carcinogens inhibit the cell to cell transport of fluorescent dyes, indirect carcinogens are less active**)
M.R. Na, S.K. Koo, D.Y. Kim, S.D. Park, S.K. Rhee, K.W. Kang, C.O. Joe (Taejon, Seoul, Kyungsan, South Korea) 199–206

Immunotoxicology

Structure-activity relationship of phenolic compounds (phenol, pyrocatechol and hydroquinone) on natural lymphocytotoxicity of carp (*Cyprinus carpio*) (**Hydroquinone was found to be more toxic on the natural lymphocytotoxicity of carp than diphenols then phenol**)
L. Taysse, D. Troutaud, N.A. Khan, P. Deschaux (Limoges, France) 207–214

Immunological effects of 2-methoxyethanol administered dermally or orally to Fischer 344 rats (**Dermal as well as oral administration of 2-methoxyethanol was shown to impair humoral immunity of Fischer 344 rats**)
W.C. Williams, M.M. Riddle, C.B. Copeland, D.L. Andrews, R.J. Smialowicz (Research Triangle Park, NC) 215–223

Contents of journals related to Toxicology 225–226
Author index 227
Subject index 229–232
Volume contents 233–234